

DATA ITEM DESCRIPTION		Form Approved OMB No. 0704-0188	
1. TITLE SHIPMENT AND STORAGE (S&S) INSTRUCTIONS FOR WHEELED VEHICLES		2. IDENTIFICATION NUMBER OT-93-12270	
3. DESCRIPTION/PURPOSE 3.1 This Data Item Description (DID) is used to obtain an Equipment Preservation Data Sheet detailing preparation instructions for shipment and storage to protect wheeled vehicles from deterioration and damage.			
4. APPROVAL DATE (YYMMDD) 930923 (Ltd)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR) AMSTA-GDD	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
7. APPLICATION/INTERRELATIONSHIP 7.1 This DID contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract.  7.2 This DID is applicable for all wheeled vehicles. This DID contains necessary information for the contractor to prepare long term, world-wide, shipment and storage requirements, and immediate use, short term storage (90 days or less) requirements. These requirements are necessary to help insure wheeled vehicles are operational when needed.			
8. APPROVAL LIMITATION		9a. APPLICABLE FORMS STA Forms 4895 and 4895-1	9b. AMSC NUMBER
10. PREPARATION INSTRUCTIONS 10.1 Reference documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract. (Continued on Page 2)			
11. DISTRIBUTION STATEMENT DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.			

## 10. PREPARATION INSTRUCTIONS (Con't)

### 10.2 Format.

10.2.1 Provide data describing preparation of wheeled vehicles for shipment and storage in accordance with MIL-V-62038 and the instructions provided herein. Data shall be submitted on Equipment Preservation Data Sheet (EDPS) and continuation sheet.

### 10.3 Content.

10.3.1 The requirements of MIL-V-62038 which apply to the vehicle's levels of protection shall be determined. When complete requirements cannot be described by reference to specific paragraphs of MIL-V-62038, the contractor shall develop and specify the requirements. Modifications of referenced paragraphs and additional requirements shall be sufficient to completely specify preparation of the vehicle(s) for shipment and storage. These shall be specified in the notes of the EDPS.

10.3.2 A list materiel which is removed or disassembled for shipment shall be provided, together with instructions for preservation, packaging, stowage and securement of the items on the vehicle. These instructions, including sufficient figures and drawings shall be specified in the notes of the EDPS.

10.3.3 Preservation, packaging, stowage and securement of any Basic Issue Items, on vehicle equipment, uninstalled government furnished equipment and other items to be shipped with the vehicle shall be specified in the notes on the EDPS.

10.3.4 Reference to transportability guidance including the applicable figure of Section 6, Association of American Railroads Rules (AAR) shall be specified in the notes of the EDPS.

10.3.5 Preparation of Equipment Preservation Data Sheet (figure 1) shall be in accordance with Procedure A. Preparation of Continuation Sheet (figure 2) shall be in accordance with Procedure B. Entries on both forms shall be typed (PICA) using uppercase letters except in figures, where clearly printed or stencilled lettering shall be used. All data must be clear and legible.

10.4 Provide validation report(s) and photographic record(s) of vehicle preparation of shipment and storage.

10.4.1 Validation report(s) shall establish the capability of the vehicle processing to protect the integrity and serviceability of the vehicle in shipment and storage. Validation report(s) shall describe processing procedures and how the processing procedures were validated by inspection and testing. Validation report(s) will be in the contractor's format.

10.4.2 Photographic record(s) shall depict the processing and validation procedures.

10.5 Provide notification for government representative(s) to observe vehicle preparation and subsequent deprocessing and functional testing. Notification shall be in the contractor's format and shall include the date, time and location of vehicle processing and verification.

### 10.6 PROCEDURE A

## 10. PREPARATION INSTRUCTIONS (Con't)

10.6.1 Block 1. Federal Supply Code for Manufacturers (FSCM). Enter 5-digit numerical code of the design activity assigned to the part number on Block 2. Cataloging Handbook H4-1, Contractor and Government Entity (CAGE) is applicable.

10.6.2 Block 2. Part Number. Enter the part number; e.g., 8736582.

10.6.3 Block 3. National Stock Number (NSN). Enter the appropriate NSN; e.g., 2320-00-077-15171. If the NSN has not been assigned, leave blank.

10.6.4 Block 4. Enter complete equipment nomenclature; e.g.; Truck, Cargo, 2-1/2 Ton, 6 X 6 W/W, M35A2.

10.6.5 Block 5. Enter Number 1.

10.6.6 Block 6. Enter the number of sheets of equipment preservation data.

10.6.7 Block 7. List in numerical sequence the selected paragraphs of MIL-V-62038 to specify those requirements applicable to the equipment.

10.6.8 Block 8. Enter note reference number, as applicable. (See Procedure B, Block 9).

10.6.9 Block 9. Enter an "X" in column A if the selected paragraph is a requirement for level A. Enter an "X" in column B if the selected paragraph is a requirement for level B. Enter "X" in both columns if the selected paragraph is applied to both levels of protection.

10.6.10 Block 10. Enter additional requirements and notes in the subsequent sets of columns and mark the applicable level as specified above.

10.6.11 Block 11. Leave blank.

10.6.12 Block 12. Leave blank.

10.6.13 Block 13. Leave blank.

10.6.14 Block 14. Leave blank.

10.6.15 Block 15. Enter the non-reduced dimensions and cube of the vehicle. Length, width and height shall be in feet and hundredths of a foot. Cube shall be in cubic feet rounded off to the nearest foot.

10.6.16 Block 16. Enter the reduced or shipping dimensions in the manner outlined in Block 15.

10.6.17 Block 17. Enter the weight (empty or curb weight) of vehicle, in pounds rounded off to the nearest pound. Enter the BII weight in pounds rounded off to the nearest pound (NOTE: Do not include material removed from the vehicle as part of the BII weight.) Enter the total weight. Enter ship tons in tons and hundredths of a ton. (NOTE: Ship tons is determined by dividing the reduced cube of vehicle by 46.)

10.6.18 Block 18. Enter the packaging engineering contractor's assigned symbol

10. PREPARATION INSTRUCTIONS (Con't)

preceded by a "dash" (-), e.g. -AL (Allison Div., GMC).

10.7 PROCEDURE B

10.7.1 Instructions for Preparation of STA Form 4895-1 (Reference Figure #2 for Block Locations).

10.7.2 Block 1 through Block 4. Same as Block 1 through Block 4 , Procedure A.

10.7.3 Block 5. Leave blank.

10.7.4 Block 6. Leave blank.

10.7.5 Block 7. Enter Sheet Number, as applicable.

10.7.6 Block 8. Same as Block 6, Procedure A.

10.7.7 Block 9. Enter notes continued from Sheet 1. The same sequence of notes marked in Block 8 of Procedure A shall be listed on continuation sheet(s). include all necessary modifications and additions to the requirements of the selected paragraphs. List additional notes, descriptive data and figures necessary to specify the requirements of preparation for shipment and storage.

10.7.8 Block 10. Same as Block 18, Procedure A.

EQUIPMENT PRESERVATION DATA SHEET PREPARATION FOR SHIPMENT AND STORAGE (MIL - V-62038)				FSCM BLOCK 1		PART NUMBER BLOCK 2		NATIONAL STOCK NUMBER BLOCK 3	
EQUIPMENT NOMENCLATURE BLOCK 4									
REQUIREMENT	NOTES	BLOCK 9 LEVEL A B	BLOCK 10 REQUIREMENT	NOTES	LEVEL A B	REQUIREMENT	NOTES	LEVEL A B	
BLOCK 7									
SHEET NO. BLOCK 5 NO. OF SHEETS BLOCK 6 REVISION BLOCK 11 DATE BLOCK 12 SPECIFICATION REFERENCE MIL - V-62038 NOTE 1 SHL OR CLASS BLOCK 13 AW BLOCK 14 WEIGHT AND CUBE DATA NON-REDUCED LENGTH FT WIDTH FT HEIGHT FT CUBE CU FT REDUCED LENGTH FT WIDTH FT HEIGHT FT CUBE CU FT WEIGHT LBS BILL WT LBS TOTAL WT LBS SHIP TONS PREPARING AGENCY AKZ APPROVAL BLOCK 18									

NOTES. 1. THIS EQUIPMENT PRESERVATION DATA SHEET SHALL BE USED AS THE IMPLEMENTING DOCUMENT FOR SPECIFICATION MIL - V-62038 WHEN THE EQUIPMENT IDENTIFIED ON THIS FORM IS BEING PREPARED FOR SHIPMENT AND STORAGE. THE EQUIPMENT SHALL BE PREPARED IN ACCORDANCE WITH THE REQUIREMENTS PARAGRAPHS, SUBPARAGRAPHS AND NOTES INDICATED ON THIS FORM IN ADDITION TO THE APPLICABLE GENERAL REQUIREMENTS AND QUALITY ASSURANCE PROVISIONS OF SPECIFICATION MIL - V-62038.

FIGURE 1

EQUIPMENT PRESERVATION DATA SHEET PREPARATION FOR SHIPMENT AND STORAGE (CONTINUATION)		FSCM BLOCK 1	PART NUMBER BLOCK 2	NATIONAL STOCK NUMBER BLOCK 3	
EQUIPMENT NOMENCLATURE BLOCK 4			REVISION BLOCK 5	DATE BLOCK 6	SHEET NO. BLOCK 7
					NUMBER OF SHEETS BLOCK 8
BLOCK 9					
APPROVAL BLOCK 10					